

Facility Management

Building Block to Mitigate your Business Risk



Our Data Centre – San Po Kong



- TIA-942 Tier-3+ Data Centre
- Location :
 - Well Tech Centre, 9 Pat Tat St., San Po Kong
 - Tseung Kwan O Industrial Estate, 22 Chun Cheong St.,
- Convenient located at the heart of Kowloon East District
- Carrier Neutral

World Class Standard



- ISO27001 for Information Security Management
- ISO20000-1 for IT Service Management
- ISO14001 for Environmental Management







Facilities - Fire Protection



Enterprise Solutions

- Fire Protection Services
 - Fire Master 200
 - High Sensitive Smoke Detector [HSSD] System
 - providing the earliest warning of incipient fire with minimum rate of nuisance alarms.
 - Alarm Integration with Building Management
 Office
- Air Conditioning
 - Keep in computer room temperature (22°C +/-2°C)
 - Relatively humidity of 50%-60%



HSSD- Senator 200



FM-200

Facilities – Electricity & Security



- Electricity
 - Dual Feed Power Supply from different MCB Panels
 - N+1, 15-minute Un-interruptible Power Supply (UPS) backed up by private diesel generator
 - N+1 Diesel Power Generator Sets
- Physical Security
 - 7 x 24 Security Guard Patrol
 - Digital CCTV monitoring and recording

Professional Services



Services:

- 24x7 Customer Hotline Support
- 24x7 Security and facility monitoring
- Data Connectivity bandwidth up to 10Gbps
 - MetroNet
 - Direct Fibre
 - DWDM
- Dedicated Internet Bandwidth from 100Mbps to 10Gbps
 - DIA
 - PDIA
- Guaranteed Service Level
 - Network availability: 99.95%



Direct & Reliable Network Access




- Low Latency
 - Powered by Dark Fibre and DWDM technologies, ensures direct access within microseconds
- Dual Carrier Diversity with Towngas Telecom Fibre Network
 - With connectivity HKBN & Towngas
- Direct Access to Overseas
 - Shortest path available to overseas by DIA /PDIA Services
- High Bandwidth
 - Range from 100Mbps to 10Gbps
- Dual Path Fibre Infrastructure
 - Fully redundant topology to maintains high service availability

Connected Network



- High bandwidth connected with major local & global Internet exchanges
- Dedicated Internet Access to Overseas: unshared dedicated bandwidth from Hong Kong to multiple Tier-1 providers
- Shortest path available: to China, the Asia Pacific, Europe, the US and other regions



Rack Room & Facilities



Enterprise Solutions

Rack Room and Facilities

Infrastructure

Location

Tier Level of Data Centre

Floor Height

Floor loading

Raised Floor Height

Carrier Neutral

Cage/Cabinet Specification

Cabinet Brand

Cabinet Dimension

Static loading

19/F, Well Tech Ctr, 9 Pat Tat St., San Po Kong

TIA-942. Tier 3+

2400mm

7.5kpa

350mm Yes

Austin Hughes Ultra Server Rack

42U-600x1070x2020mm(WxDxH)

Single door with single manual lock

800 kg

Fire Detection & Suppression

Gaseous suppression system

Early warning smoke detection system

FM200 Gas-based fire suppression system

HSSD - High Sensitive Smoke Detector system

Security Control

24-hour security monitoring

CCTV security monitoring & Recording on common access area and entrance

Access doors of entrance have security lock with access control

Pre-registeration to access

Yes Yes

> Yes Yes

Power Provision

Power Supply

UPS

2kVA / 3kVA

Dual Feed power supply to each rack

15-minute Un-interruptible Power Supply (UPS) backed up by

private diesel generator

Metered 16 units of UK13A socket per PDU x 2

Cabinet PDU provision

Air-conditioning

N+1 Chiller plant

CRAC System

Humidity

Yes

Temperature 22°C ± 2°C

Humidity 55% with \pm 10%

Service Level Guarantee

Service Availiabilty

99.95%



Thank You

es.hkbn.net

